


OFFICE OF THE MUNICIPAL CORPORATION, HOSHIARPUR.



ਦਫਤਰ ਨਗਰ ਨਿਗਮ, ਹੁਸ਼ਿਆਰਪੁਰ।





CERTIFICATE OF HYGIENE AND SANITATION

Certify that GEMS Cambridge International School Hoshiarpur, has separate lavatories for staff and students or all the floors of school building proper health and sanitation standard are maintained. On a visit to the school it has been found that strictness is observed in cleanness and rules of hygene. Waste bin has properly placed. This Certificate is valid of One year Dated 24.08.2025 to 23.08.2026.

n Hamus

Sa Sanitary Inspector.

MuMunicipal Corporation

Hoshiarpur.

Government ITI, Jalandhar Road, Hoshiarpur rwtlhsp@gmail.com

To,

GEMS Cambridge International School

Jalandhar-Phagwara Bypass Road, Purhiran, Hoshiarpur-146001

No.: RWTLHSP/2526/00087

Dated: 19/05/2025

Subject:

Testing Reports of Water Samples.

Reference:

Your Letter/SRF No. GCISH/GEN/128/2025-26 Dated: 15/05/2025

As per above cited subject and reference, Please find enclosed here with the report of 2 Water sample/s received on dated 17/05/2025. It is request to fill the attached feedback form and send it back to Regional Water Testing Lab, Hoshiarpur

D/A: 1 Test Report

Authorized Signatory For, Regional Water Testing Lab Hoshiarpur

Government ITI, Jalandhar Road, Hoshiarpur rwtlhsp@gmail.com



TEST REPORT Name & Address of Customer: Customer Reference No. No: GCISH/GEN/128/2025-26 Dated: GEMS Cambridge International School 15/05/2025 Jalandhar-Phagwara Bypass Road, Purhiran, Sample Submitted by Surinderpal Singh Hoshiarpur-146001 17/05/2025 Date of Sample Receipt **Analysis Starting Date** 17/05/2025 Analysis completion Date 19/05/2025 Discipline: Chemical Testing Group: Water ULR No .: TC128642500000195F Water Sample Type: Test Report No.: RWTLHSP/2526/00087 Date of Issue: 19/05/2025 Registration no.: RWTLHSP/REG2526/00667 Unsealed Condition of Sample: Collection Point: House Tap Water (FHTC) 1000 ml / Transparent Plastic Bottle Quantity/Type of Bottle: Scheme/Source: Not Mentioned(Not Mentioned) Sample No. 1 Govt. Tap Water / NA Location/Depth: Village: Not Mentioned Not Mentioned Habitation: Block: Not Mentioned District: Hoshiarpur Latitude: Not Mentioned Not Mentioned Longitude:

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)			D. Common Markhard
			Acceptable Limit	Permissible Limit	Unit	Reference Method :
1	pH	8.11@24°C	6.5-8.5	No Relaxation		IS 3025 (Part 11-2022) Electrometric Method
2	Colour	1	5	15	CU	IS 3025(Part 4-2021) Visual Comparison Method
3	Odour	Agreeable	Agreeable	Agreeable		IS 3025 (Part 5 – 2018) (Second Revision)
4	Taste	Agreeable	Agreeable	Agreeable		IS 3025 (Part 8 – 2023)
5	TDS	320.0	500	2000	mg/l	IS 3025 (Part 16-2023) Gravimetric Method
6	Turbidity	BDL	1	5	NTU	IS 3025 (Part 10-2023) Nephelometric Method
7	Alkalinity(CaCO3)	269.34	200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method
8	Hardness(CaCO3)	237.6	200	600	mg/l	IS 3025 (Part 21- 2009)(RA 2023) EDTA Method
9	Calcium(Ca)	50.79	75	200	mg/l	IS 3025 (Part 40-2024) EDTA Titrimetric Method
10	Magnesium(Mg)	26.94	30	100	mg/l	APHA (24th Ed.2023) Method: 3500-Mg+2 B By Calculation Method
11	Chloride(Cl)	19.85	250	1000	mg/l	IS 3025 (Part 32-1988) Argentometric Method

This Report is issued under the following terms & Condition:

- 1. The results apply to the sample as received only.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproduce wholly or in part and can't beused be as evidence in court of law.
- 4 Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected)
- 5. * Value not available or test not performed for this parameter.
- 6. Temperature condition limit: 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By

Abhishek Joshi Sr. Chemist

Authorized Signatory

For, Regional Water Testing Lab

Hoshiarpur

---- End of the Test Report

Page No: 1/2

Government ITI, Jalandhar Road, Hoshiarpur rwtlhsp@gmail.com

		TEST REPORT		
Name & Address GEMS Cambridg Jalandhar-Phage	s of Customer : e International School wara Bypass Road, Purhiran,	Customer Reference No.	No: GCISH/GEN/128/2025-26 Dated 15/05/2025	
Hoshiarpur-146	001 Bypass Road, Purhiran,	Sample Submitted by	Surinderpal Singh	
	,	Date of Sample Receipt	17/05/2025	
		Analysis Starting Date	17/05/2025	
Disciplina : Back	-1-1-1	Analysis completion Date	19/05/2025	
Discipline: Bacteriological Testing JLR No.:		Group: Water		
		Sample Type :	Water	
Test Report No.:	RWTLHSP/2526/00087	Date of Issue :	19/05/2025	
Registration no.: RWTLHSP/REG2526/00667		Constitution of the	Unsealed	
Collection Point:	House Tap Water (FHTC)		1000 ml / Transparent Plastic Bottle	
cheme/Source: Not Mentioned(Not Mentioned)			Sample No. 1 Govt. Tap Water / NA	
Village :	Not Mentioned	titality of	Not Mentioned	
Block:	Not Mentioned	District.		
atitude : Not Mentioned			Hoshiarpur Not Mentioned	

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)			
			Acceptable Limit	Permissible Limit	Unit	Reference Method :
1	Total Coliform(TC)	ND	Shall not be detectable in any 100 ml sample	No relaxation	MPN/100 ml.	IS-1622 MPN Method
2	E-Coli	ND	Shall not be detectable in any 100 ml sample	No relaxation	MPN/100 ml.	IS-1622 MPN Method
3	Bacteriological Contamination(B)	ABSENT				H2S Vial

This Report is issued under the following terms & Condition:

- 1. The results apply to the sample as received only.
- 2 The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproduce wholly or in part and can't beused be as evidence in court of law
- 4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected)
- 5. * Value not available or test not performed for this parameter.
- 6. Temperature condition limit: 25 \pm 5°C and Humidity condition limit:50 \pm 20%

Reviewed and Approved By

Abhishek Joshi

Sr. Chemist **Authorized Signatory** For, Regional Water Testing Lab

End of the Test Report

Hoshiarpur

Government ITI, Jalandhar Road, Hoshiarpur rwtlhsp@gmail.com



TEST REPORT Name & Address of Customer: Customer Reference No. No: GCISH/GEN/128/2025-26 Dated: GEMS Cambridge International School 15/05/2025 Jalandhar-Phagwara Bypass Road, Purhiran, Sample Submitted by Surinderpal Singh Hoshiarpur-146001 Date of Sample Receipt 17/05/2025 Analysis Starting Date 17/05/2025 Analysis completion Date 19/05/2025 Discipline: Chemical Testing Group: Water ULR No.: TC128642500000195F Sample Type: Water Test Report No.: RWTLHSP/2526/00087 Date of Issue: 19/05/2025 RWTLHSP/REG2526/00668 Registration no.: Condition of Sample: Unsealed Collection Point: Treatment Plant (RO/CWPP/ARP/HH Quantity/Type of Bottle: 1000 ml / Transparent Plastic Bottle Purifier) Scheme/Source: | Not Mentioned(Not Mentioned) Sample No. 2 Filter Water / NA Location/Depth: Village: Not Mentioned Habitation: Not Mentioned Block: Not Mentioned District: Hoshiarpur Latitude: Not Mentioned Not Mentioned Longitude:

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)			
		Result	Acceptable Limit	Permissible Limit	Unit	Reference Method :
1	pН	8.04@24°C	6.5-8.5	No Relaxation	**	IS 3025 (Part 11-2022) Electrometric Method
2	Colour	1	5	15	cu	IS 3025(Part 4-2021) Visual Comparison Method
3	Odour	Agreeable	Agreeable	Agreeable	**	IS 3025 (Part 5 - 2018) (Second Revision)
4	Taste	Agreeable	Agreeable	Agreeable	**	IS 3025 (Part 8 – 2023)
5	TDS	326.0	500	2000	mg/l	IS 3025 (Part 16-2023) Gravimetric Method
6	Turbidity	BDL	1	5	NTU	IS 3025 (Part 10-2023) Nephelometric Method
7	Alkalinity(CaCO3)	273.36	200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method
8	Hardness(CaCO3)	233.64	200	600	mg/l	IS 3025 (Part 21- 2009)(RA 2023) EDTA Method
9	Calcium(Ca)	53.96	75	200	mg/I	IS 3025 (Part 40-2024) EDTA Titrimetric Method
10	Magnesium(Mg)	24.06	30	100	mg/I	APHA (24th Ed.2023) Method: 3500-Mg+2 B By Calculation Method
11	Chloride(CI)	21.84	250	1000	mg/I	IS 3025 (Part 32-1988) Argentometric Method

This Report is issued under the following terms & Condition:

- 1 The results apply to the sample as received only.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproduce wholly or in part and can't beused be as evidence in court of law
- 4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, N1 = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected)
- 5. * Value not available or test not performed for this parameter.
- 6. Temperature condition limit: 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By

Abhishek Joshi Sr. Chemist Authorized Signatory

For,Regional Water Testing Lab Hoshiarpur

End of the Test Report -----

Page No : 2/2

Government ITI, Jalandhar Road, Hoshiarpur rwtlhsp@gmail.com

		TEST REPORT		
	International School	Customer Reference No.	No: GCISH/GEN/128/2025-26 Dated: 15/05/2025	
	ara Bypass Road, Purhiran,	Sample Submitted by	Surinderpal Singh	
Hoshiarpur-1460	01	Date of Sample Receipt	17/05/2025	
		Analysis Starting Date	17/05/2025	
		Analysis completion Date	19/05/2025	
Discipline : Bacte	riological Testing	Group: Water		
JLR No.:		Sample Type :	Water	
est Report No.: RWTLHSP/2526/00087		Date of Issue :	19/05/2025	
Registration no.:	RWTLHSP/REG2526/00668	Condition of Sample :	Unsealed	
Collection Point: Treatment Plant (RO/CWPP/ARP/HH Purifier)		Quantity/Type of Bottle:	1000 ml / Transparent Plastic Bottle	
cheme/Source:	Not Mentioned(Not Mentioned)	Location/Depth :	Sample No. 2 Filter Water / NA	
/illage :	Not Mentioned	Habitation :	Not Mentioned	
Block:	Not Mentioned	District :	Hoshiarpur	
atitude :	Not Mentioned	Longitude:	Not Mentioned	

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)			Reference Method :
			Acceptable Limit	Permissible Limit	Unit	Reference Method .
1	Total Coliform(TC)	ND	Shall not be detectable in any 100 ml sample	No relaxation	MPN/100 ml.	IS-1622 MPN Method
2	E-Coli	ND	Shall not be detectable in any 100 ml sample	No relaxation	MPN/100 ml.	IS 1622 MPN Method
3	Bacteriological Contamination(B)	ABSENT				H2S Vial

This Report is issued under the following terms & Condition:

- 1. The results apply to the sample as received only.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3 This report is not to be reproduce wholly or in part and can't beused be as evidence in court of law.
- 4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected)
- 5 * Value not available or test not performed for this parameter.
- 6. Temperature condition limit: 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By

Abhishek Joshi Sr. Chemist

Authorized Signatory For,Regional Water Testing Lab Hoshiarpur

End of the Test Report

rt -----